Filed

: October 27, 2000

's Docket No.: 11627-002001

<u>REMARKS</u>

Applicant asks that all claims be allowed. Please apply any charges or credits to Deposit Account No. 06-1050, reference 11627-002001.

Respectfully submitted,

Date:

Fish & Richardson P.C. 225 Franklin Street Boston, Massachusetts 02110-2804

Telephone: (617) 542-5070 Facsimile: (617) 542-8906

20505529.doc

David L. Feigenbaum

Reg. No. 30,378

r's Docket No.: 11627-002001

Applicant: Arkady Pittel, et Serial No.: 09/698,471 Filed October 27, 2000

Page

Version with markings to show changes made

13. The method of claim 3 in which the optics comprise an aspheric lens.

- 114. The apparatus of claim 3 in which the optics include at least one cylindrical lens near the sensor to project light horizontally onto the sensor.
- 115. The apparatus of claim 3 in which the optics include two cylindrical lenses, one of the lenses near the sensor to project light horizontally onto sensor, and the other of the lenses positioned to collect light in the Z-axis dimension, the other of the lenses having a body that is bent around the first lens.
- 116. The apparatus of claim 27 in which the optics include at least one cylindrical lens near the sensor to project light horizontally onto the sensor.
- 117. The apparatus of claim 27 in which the optics includes two cylindrical lenses, one of the cylindrical lenses near the sensor to project light horizontally onto sensor, and the other of the lenses positioned to collect light in the Z-axis dimension, the other of the lenses having a body that is bent around the first lens.
 - 118. The apparatus of claim 76 in which the lens comprises an aspherical lens.
- 119. The apparatus of claim 76 in which the optics include at least one cylindrical lens near the sensor to project light horizontally onto the sensor.
- 120. The apparatus of claim 76 in which the optics include two cylindrical lenses, one of the lenses near the sensor to project light horizontally onto sensor, and the other of the lenses positioned to collect light in the Z-axis dimension, the other lens having a bod that is bent around the first lens.

OCT 0 4 2002

Technology Center 2600

's Docket No.: 11627-002001

Applicant: Arkady Pittel, et Serial No.: 09/698,471 Filed

: October 27, 2000

21. The apparatus of claim 76 in which the optics and associated sensors are tilted wardly towards each other in horizontal plane to overlap their fields.

122. The method of claim of 83 in which a lens-to-sensor distance and center pixel offset in reference to a center of the sensor are determined by sweeping a light source through known geometrical angles .--

> RECEIVE Technology Center 2600